

TRACTOR



MODEL	WHEEL SIZE	TYPE OF WHEEL	BOLT HOLE	BOLT HOLE TYPE	CENTRAL HOLE	OFFSET INSET	NET WEIGHT	LOAD CAPACITY
OT0001	W7 x 16	Base Band	6	M14	250,5	-	20,0	-
OT0002	W8 x 16	Adjustible	6	M14	250,5	-	21,0	-
OT0003	W8 x 16	Adjustible	6	M14	250,5	-	21,0	-
OT0004	W8 x 16	Adjustible	6	M14	250,5	-	17,7	-
OT0005	5.50F x 16	Adjustible	6	M16	117,7	0	14,1	-
OT0006	5,50F x 16	(x) Fixed wheel	6	M12	115	5	14,1	-
OT0007	5.50F x 16	(x) Fixed wheel	6	M12	115	0	13,1	-
OT0008	4.00E x 16	(x) Fixed wheel	6	M16	117,7	10	12,6	-
OT0009	4.00E x 16	(x) Fixed wheel	6	M12	115	21	12,6	-
OT0010	4.00E x 16	(x) Fixed wheel	6	M12	115	28	12,6	-
OT0011	W8 x 16	(x) Fixed wheel	5	M14	111	-8	19,7	-
OT0012	W8 x 16	(x) Fixed wheel	6	M12	117,7	-	18,6	-
OT0013	5.50F x 18	Adjustible	6	M16	117,7	10	14,2	-
OT0014	W11 x 20	(x) Fixed wheel	8	M16	150	-	30,5	-
OT0015	W10 x 20	Adjustible	6	M18	80,5	-	27,4	-
OT0016	W9 x 20	Adjustible	6	M18	80,5	-	30,5	-
OT0017	W10 x 20	Adjustible	8	M16	153	-	27,9	-
OT0018	W10 x 20	Adjustible	6	M14	250,5	-	24,2	-
OT0019	W9 x 20	Adjustible	6	M14	250,5	-	22,3	-
OT0020	W9 x 20	Adjustible	6	M14	117,7	-	27,3	-
OT0021	W11 x 20	Adjustible	6	M18	285,25	-	26,4	-
OT0022	24 x DW14L	Adjustible	10	B3 = B22DS36	281	45	48,0	4.750
OT0023	24 x DW14L	(x) Fixed wheel	8	B3 = B22DS36	221	10	49,5	4.750

OT0024	24 x DW14L	(x) Fixed wheel	10	B3 = B22DS36	281	10	48,0	4.750
OT0025	24 x DW16L	(x) Fixed wheel	10	B3 = B22DS36	281	25	50,5	5.450
OT0026	24xDW14L	(x) Fixed wheel	8	M20	221	31	48,6	4.625
OT0027	24xDW14L	(x) Fixed wheel	10	M20	281	-10	50,4	4.625
OT0028	24xDW14L	(x) Fixed wheel	10	M20	281	-10	50,4	4.625
OT0029	24xDW14L	(x) Fixed wheel	8	M20	221	7	48,6	4.625
OT0030	24xDW14L	(x) Fixed wheel	8	M20	221	7	50,0	4.625
OT0031	24xDW14L	(x) Fixed wheel	8	M20	221	7	49,2	4.625
OT0032	24xDW14L	(x) Fixed wheel	10	M20	281	-10	50,0	4.625
OT0033	24xDW14L	(x) Fixed wheel	8	M20	221	31	48,2	4.625
OT0034	24xDW14L	(x) Fixed wheel	8	M20	221	31	50,0	4.625
OT0035	24xDW14L	(x) Fixed wheel	8	M20	221	7	49,0	4.625
OT0036	W10 x 24	(x) Fixed wheel	6	M18	285,25	-	35,6	-
OT0037	W10 x 24	Adjustable	8	M18	221	-	37,0	-
OT0038	W12 x 24	Adjustable	6	M16	285,25	-	38,2	-
OT0039	W13 x 24	Adjustable	6	M16	285,25	-	39,4	-
OT0040	W10 x 24	Adjustable	6	M14	117,7	-	34,5	-
OT0041	13 x 24	Adjustable	8	A2 = B18ES32	227	0	52,2	4.300
OT0042	24 x DW13L	(x) Fixed wheel	8	M20	221	12,5	49,0	4.750
OT0043	24 x DW13L	(x) Fixed wheel	5	BUNF34ES4 4.8	291	-60	46,0	4.375
OT0044	24 x DW13L	(x) Fixed wheel	8	B3 = B22DS36	221	50	49,0	4.750
OT0045	24 x DW12L	(x) Fixed wheel	8	B2 = B18DS32	221	-30	47,0	4.125
OT0046	24 x DW13L	(x) Fixed wheel	10	A3 = B22ES36	281	0	46,0	4.750
OT0047	W10 x 24	(x) Fixed wheel	8	M20	221	-25,4	42,6	1.360
OT0048	W12 x 24	(x) Fixed wheel	8	M18	221	-	39,9	-
OT0049	W13 x 24	Adjustable	8	M18	110	-	42,5	-
OT0050	W13 x 24	Adjustable	8	M18	110,5	-	54,4	-
OT0051	W12 x 24	Adjustable	8	M16	150,1	-	37,3	-
OT0052	W12 x 24	Adjustable	8	M16	150,1	-	37,3	-
OT0053	W12 x 24	Adjustable	8	M16	150,1	-	37,3	-
OT0054	W12 x 24	Adjustable	8	M14	150,1	-	38,6	-
OT0055	W12 x 24	Adjustable	8	M14	290,5	-	37,5	-

OT0056	W12 x 24	Adjustable	8	M14	290,5	-	35,3	-
OT0057	W10 x 24	Adjustable	8	B22ES44	221	0	46,6	1.450
OT0058	W10 x 24	(x) Fixed wheel	8	B19ES44	220,3	20	47,8	1.450
OT0059	W10 x 24	(x) Fixed wheel	8	B18ES36	222	5	46,6	1.450
OT0060	W10 x 24	(x) Fixed wheel	6	A2 = B18ES32	161	0	42,6	1.450
OT0061	W10 x 24	(x) Fixed wheel	6	A2 = B18ES32	161	0	48,6	1.450
OT0062	W10 x 24	(x) Fixed wheel	6	M18	80	-	37,3	-
OT0063	W10 x 24	Adjustable	8	M18	221	-	34,9	-
OT0064	W10 x 24	Adjustable	8	M16	221	-	37,3	-
OT0065	W8 x 24	Adjustable	8	M16	221	-	34,1	-
OT0066	W9 x 24	Adjustable	8	M16	150,1	-	34,5	-
OT0067	W10 x 24	Adjustable	8	M14	150,1	-	34,5	-
OT0068	W10 x 24	Adjustable	8	M14	290,5	-	37,7	-
OT0069	W10 x 24	Adjustable	6	M14	250,5	-	33,0	-
OT0070	W10 x 24	Adjustable	8	M14	290,5	-	34,7	-
OT0071	W10 x 24	Adjustable	6	M14	250,5	-	35,6	-
OT0072	W10 x 24	Adjustable	8	M14	153	-	39,2	-
OT0073	24xDW15L	Adjustable	8	M20	221	76,5	50,0	5.000
OT0074	24xDW15L	(x) Fixed wheel	8	M20	221	76,5	50,8	5.000
OT0075	24xDW15L	(x) Fixed wheel	8	M20	221	76,5	50,0	5.000
OT0076	24xDW15L	(x) Fixed wheel	8	M20	221	76,5	50,2	5.000
OT0077	24xDW15L	(x) Fixed wheel	8	A2 = B18ES32	227	0	55,6	5.000
OT0078	24xW15L	(x) Fixed wheel	10	M22	281	32,5	53,5	4.300
OT0079	24xW15L	(x) Fixed wheel	12	M22	156,5	-19	56,0	4.300
OT0080	24xW15L	(x) Fixed wheel	12	M22	156,5	-19	56,5	2.900
OT0081	24xW15L	(x) Fixed wheel	8	M22	143	35	63,1	4.300
OT0082	24xW15L	(x) Fixed wheel	10	M22	143	35	63,0	4.300
OT0083	24xW15L	(x) Fixed wheel	12	M22	156,5	-19	55,8	4.300
OT0084	24xW15L	(x) Fixed wheel	10	M20	280,2	38,1	54,0	4.300
OT0085	24xW15L	(x) Fixed wheel	5	B18ES44.8	290	36	54,4	3.000
OT0086	W12 x 24	(x) Fixed wheel	10	M20	281	11,8	40,4	1.800
OT0087	W12 x 24	(x) Fixed wheel	6	M20	161	-17	48,0	1.800

OT0088	24xW12	(x) Fixed wheel	10	M18	280,43	19,7	43,0	1.800
OT0089	W12 x 24	(x) Fixed wheel	6	M16	161	-92	44,0	2.000
OT0090	W12 x 24	(x) Fixed wheel	8	JSR18	221	-19	41,5	2.000
OT0091	W12 x 24	(x) Fixed wheel	8	JSR18	221	-19	41,5	2.000
OT0092	W12 x 24	(x) Fixed wheel	6	B2 = B18DS32	161	-20	44,5	1.800
OT0093	W12 x 24	(x) Fixed wheel	6	B2 = B18DS32	161	-20	44,5	1.800
OT0094	W12 x 24	(x) Fixed wheel	8	A3 = B22ES36	221	50	53,0	2.000
OT0095	W12 x 24	(x) Fixed wheel	8	A3 = B22ES36	221	-14	41,6	2.000
OT0096	W12 x 24	(x) Fixed wheel	8	A2 = B18ES32	221	0	42,5	2.000
OT0097	W12 x 24	(x) Fixed wheel	8	A2 = B18ES32	221	0	41,5	2.000
OT0098	W12 x 24	(x) Fixed wheel	8	A2 = B18ES32	222	0	53,1	2.000
OT0099	W12 x 24	(x) Fixed wheel	8	A2 = B18ES32	222	0	53,1	2.000
OT0100	W12 x 24	(x) Fixed wheel	6	A2 = B18ES32	161	0	44,5	1.800
OT0101	W12 x 24	(x) Fixed wheel	6	A2 = B18ES32	161	0	44,5	1.800
OT0102	W10 x 24	(x) Fixed wheel	10	A3 = B22ES36	281	0	61,8	5.500
OT0103	26xDW20B	(x) Fixed wheel	8	M22	221	-61	83,6	4.000
OT0104	26xDW20B	(x) Fixed wheel	10	M18	223,2	0	89,0	4.000
OT0105	26xDW20B	(x) Fixed wheel	10	A3 = B22ES36	281	-50	86,5	4.000
OT0106	26xDW20B	(x) Fixed wheel	10	A3 = B22ES36	281	-50	86,5	4.000
OT0107	26xDW20B	(x) Fixed wheel	10	A3 = B22ES36	281	0	84,4	4.000
OT0108	26xDW20B	(x) Fixed wheel	10	A3 = B22ES36	281	0	84,4	4.000
OT0109	26xDW20B	(x) Fixed wheel	10	A3 = B22ES36	281	0	84,4	4.000
OT0110	26xDW20B	(x) Fixed wheel	8	A2 = B18ES32	221	-50	83,2	4.000
OT0111	26xDW20B	(x) Fixed wheel	8	A2 = B18ES32	221	-50	83,2	4.000
OT0112	26xDW25A	(x) Fixed wheel	10	M22	280,5	0	106,0	6.100
OT0113	26xDW25A	(x) Fixed wheel	10	M22	280,5	0	106,0	6.100
OT0114	26xDW25A	(x) Fixed wheel	10	M18	221,3	0	104,0	6.100

OT0115	26xDW25A	(x) Fixed wheel	10	A3 = B22ES36	281	-25	99,2	6.300
OT0116	26xDW25A	(x) Fixed wheel	10	A3 = B22ES36	281	-25	99,4	6.300
OT0117	26xDW25A	(x) Fixed wheel	10	A3 = B22ES36	281	-100	99,2	6.300
OT0118	26xDW25A	(x) Fixed wheel	10	A3 = B22ES36	281	-100	99,4	6.300
OT0119	26xDW25A	(x) Fixed wheel	12	A3 = B22ES36	371	-75	100,0	4.000
OT0120	26xDW25A	(x) Fixed wheel	12	A3 = B22ES36	371	-75	100,0	4.000
OT0121	26xDW25B	(x) Fixed wheel	10	M22	281,2	0	98,5	4.500
OT0122	26xDW25B	(x) Fixed wheel	10	M22	281	0	97,0	4.500
OT0123	26xDW25B	(x) Fixed wheel	10	M18	221	0	99,5	4.500
OT0124	26xDW25B	(x) Fixed wheel	10	A3 = B22ES36	281	-90	98,2	5.000
OT0125	26xDW25B	(x) Fixed wheel	10	A3 = B22ES36	281	-50	97,0	4.500
OT0126	26xDW25B	(x) Fixed wheel	10	A3 = B22ES36	281	-50	97,0	4.500
OT0127	26xDW25B	(x) Fixed wheel	10	A3 = B22ES36	281	0	97,0	4.500
OT0128	26xDW25B	(x) Fixed wheel	10	A3 = B22ES36	281	0	97,0	4.500
OT0129	26xDW16A	(x) Fixed wheel	10	M20	281	5	66,8	4.500
OT0130	26xDW16A	(x) Fixed wheel	10	M20	281	-110,5	67,5	4.500
OT0131	26xDW16A	(x) Fixed wheel	10	M20	281	-110,5	68,1	4.500
OT0132	26xDW16A	(x) Fixed wheel	10	M18	224	76,2	70,5	4.500
OT0133	26xDW16A	(x) Fixed wheel	10	M18	224	-63,5	70,5	4.500
OT0134	26xDW16A	(x) Fixed wheel	10	M18	224	-63,5	70,5	4.500
OT0135	26xDW16A	(x) Fixed wheel	10	M18	224	0	70,5	4.500
OT0136	26xDW16A	(x) Fixed wheel	10	M18	224	0	70,0	4.500
OT0137	26xDW16A	(x) Fixed wheel	10	M18	221	0	70,6	4.500
OT0138	26xDW16A	(x) Fixed wheel	8	B14DC90	152,5	-38	72,5	4.500
OT0139	26xDW16A	(x) Fixed wheel	10	A3 = B22ES36	282	41	66,8	4.500
OT0140	W16L x 28	(x) Fixed wheel	8	B3 = B22DS36	221	-130	66,5	3.250
OT0141	W12L x 28	(x) Fixed wheel	8	B3 = B22DS36	221	-40	56,5	3.000

OT0142	W12L x 28	(x) Fixed wheel	8	B3 = B22DS36	221	30	56,5	3.000
OT0143	28xDW18L	(x) Fixed wheel	10	M20	281	-35	88,0	5.000
OT0144	28xDW18L	(x) Fixed wheel	10	A3 = B22ES36	176	-90	83,4	3.000
OT0145	W16L x 28	(x) Fixed wheel	10	M20	281	-	70,3	-
OT0146	W12 x 28	Adjustable	6	M18	285,25	-	48,1	-
OT0147	W12 x 28	Adjustable	8	M18	152,4	-	54,7	-
OT0148	W11 x 28	Adjustable	8	M20	221	-50	61,4	1.450
OT0149	W10 x 28	(x) Fixed wheel	10	M18	221,2	76	63,8	12000 LBS
OT0150	W10 x 28	(x) Fixed wheel	10	M18	221,2	76	63,8	5.443
OT0151	W11 x 28	(x) Fixed wheel	10	M18	221,2	70	64,4	5.443
OT0152	W11 x 28	(x) Fixed wheel	8	M18	110,5	-	52,4	-
OT0153	W11 x 28	Adjustable	8	M18	221	-	43,1	-
OT0154	W11 x 28	Adjustable	8	M18	152,4	-	57,6	-
OT0155	W12 x 28	Adjustable	8	M18	110,5	-	57,3	-
OT0156	W12 x 28	Adjustable	8	M18	140	-	58,4	-
OT0157	W12 x 28	Adjustable	8	M18	109,5	-	56,5	-
OT0158	W11 x 28	Adjustable	8	M16DC90	109,5	-	55,1	-
OT0159	W11 x 28	Adjustable	8	M16	150,1	-	50,5	-
OT0160	W11 x 28	Adjustable	8	M16	150,1	-	51,7	-
OT0161	W11 x 28	Adjustable	8	M16	150,1	-	52,2	-
OT0162	W12 x 28	Adjustable	8	M16	150,1	-	53,3	-
OT0163	W12 x 28	Adjustable	8	M16	109,5	-	56,5	-
OT0164	W12 x 28	Adjustable	8	M16	150,1	-	54,0	-
OT0165	W12 x 28	Adjustable	8	M14	290,5	-	45,6	-
OT0166	W10 x 28	Adjustable	8	B14DC90	152,5	63,5	67,6	5.443
OT0167	W10 x 28	(x) Fixed wheel	8	M18	110	-	40,0	-
OT0168	W10 x 28	Adjustable	8	M18	221	-	45,0	-
OT0169	W10 x 28	Adjustable	8	M14	290,5	-	42,1	-
OT0170	W14Lx28	Adjustable	6	M18	285,25	-	58,4	-
OT0171	28xDW20B	Adjustable	16	M16	271	-30	100,0	5.150
OT0172	28xDW20B	(x) Fixed wheel	16	M14	271	-75	101,0	5.150
OT0173	W16L x 28	(x) Fixed wheel	10	M20	281	-35	70,0	5.000
OT0174	W14L x 28	(x) Fixed wheel	5	B19ES44.8	290	36	63,8	3.600
OT0175	28xW15L	(x) Fixed wheel	10	M20	281	-110,5	70,3	4.650
OT0176	28xW15L	(x) Fixed wheel	10	M20	281	-25	72,9	4.650

OT0177	28xW15L	(x) Fixed wheel	10	M22	280,2	-52,5	56,0	2.950
OT0178	28xW15L	(x) Fixed wheel	10	M22	281	-122,5	87,0	4.650
OT0179	28xW15L	(x) Fixed wheel	10	M22	281	0	69,5	4.650
OT0180	28xW15L	(x) Fixed wheel	10	M22	281	-122,5	87,0	4.650
OT0181	28xW15L	(x) Fixed wheel	10	M20	281	-60	57,0	4.650
OT0182	28xW15L	(x) Fixed wheel	10	M20	281	-110,5	72,2	4.650
OT0183	28xW15L	(x) Fixed wheel	10	M20	281	-25	72,2	4.650
OT0184	28xW15L	(x) Fixed wheel	10	M18	281	-20	87,0	4.650
OT0185	28xW15L	(x) Fixed wheel	10	M18	221,2	70	74,0	4.650
OT0186	28xW15L	(x) Fixed wheel	10	B19ES44.4	281	-22,2	87,0	4.650
OT0187	28xW15L	(x) Fixed wheel	5	B19ES44,.4	290	60	86,6	4.650
OT0188	28xW15L	(x) Fixed wheel	10	B19ES44	281	-22	86,0	4.650
OT0189	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	280,5	-15	68,4	4.650
OT0190	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	281	20	87,0	4.650
OT0191	28xW15L	(x) Fixed wheel	8	A3 = B22ES36	221	59	71,4	4.650
OT0192	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	281	0	68,6	4.650
OT0193	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	281	-90	68,8	4.650
OT0194	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	281	-50	68,8	4.650
OT0195	28xW15L	(x) Fixed wheel	8	A2 = B18ES32	221	0	72,0	4.250
OT0196	28xW15L	(x) Fixed wheel	8	M18	140	-6	91,4	4.650
OT0197	28xW15L	(x) Fixed wheel	10	A3 = B22ES36	281	0	68,6	4.650
OT0198	30xDW20B	(x) Fixed wheel	10	M18	281	-50	109,0	5.000
OT0199	DW14L x 30	(x) Fixed wheel	8	M18	149,7	20	66,0	3.000
OT0200	DW15L x 30	(x) Fixed wheel	8	M18	152,4	-	74,3	-
OT0201	30 x DW16L	Adjustable	8	B3 = B22DS36	221	-80	77,0	4.375
OT0202	30 x DW16L	(x) Fixed wheel	8	B3 = B22DS36	221	0	77,0	4.375
OT0203	DW14L x 30	(x) Fixed wheel	8	B3 = B22DS36	221	-50	64,5	3.450

OT0204	DW14L x 30	(x) Fixed wheel	8	B2 = B18DS32	149,7	20	66,0	3.000
OT0205	DW14L x 30	(x) Fixed wheel	8	B2 = B18DS32	150	70	64,6	3.450
OT0206	30 x DW16L	(x) Fixed wheel	10	A3 = B22ES36	281	70	75,0	5.150
OT0207	30 x DW16L	(x) Fixed wheel	10	A3 = B22ES36	281	0	75,0	5.150
OT0208	30 x DW16L	(x) Fixed wheel	8	A2 = B18ES32	221	0	77,0	4.375
OT0209	30xDW23B	(x) Fixed wheel	10	M22	281	-60	124,0	5.150
OT0210	30xDW23B	(x) Fixed wheel	16	M22	271	-30	126,0	5.150
OT0211	30xDW23B	(x) Fixed wheel	8	M20	221	75	126,0	5.150
OT0212	30xDW23B	(x) Fixed wheel	16	M14	271	-80	126,6	5.150
OT0213	30xDW23B	(x) Fixed wheel	16	M14	271	-75	126,6	5.150
OT0214	30xDW18L	(x) Fixed wheel	10	M22	281	4	106,0	5.150
OT0215	30xDW18L	(x) Fixed wheel	10	M20	281	24	106,0	5.500
OT0216	30xDW18L	(x) Fixed wheel	16	M16	271	-85	100,0	5.150
OT0217	30xDW18L	(x) Fixed wheel	10	M20	281	-80	110,5	5.150
OT0218	30xDW18L	(x) Fixed wheel	10	M20	281	30	108,0	5.500
OT0219	DW15L x 30	(x) Fixed wheel	8	M18	150,1	-	73,7	-
OT0220	DW15L x 30	Adjustable	8	M18	152,4	-	75,0	-
OT0221	W15L x 30	Adjustable	8	M18	150,1	-	75,8	-
OT0222	W15L x 30	Adjustable	8	M18	150,1	-	75,8	-
OT0223	W15L x 30	Adjustable	8	M18	152,3	-	75,9	-
OT0224	W15L x 30	Adjustable	8	M18	152,3	-	75,7	-
OT0225	DW15L x 30	Adjustable	8	M16	153,5	-	73,7	-
OT0226	30xDW18L	Adjustable	16	M14	271	-11	111,5	5.150
OT0227	30xDW18L	(x) Fixed wheel	16	M14	271	23	111,5	5.150
OT0228	30xDW18L	(x) Fixed wheel	16	M14	271	3	111,5	5.150
OT0229	DW13L x 30	(x) Fixed wheel	8	M18	152,4	-	70,1	-
OT0230	DW13L x 30	Adjustable	8	M18	152,4	-	70,1	-
OT0231	30xDW16L	Adjustable	10	M22	281	10	89,0	5.150
OT0232	30xDW16L	(x) Fixed wheel	10	M20	281	-35	80,0	5.000

OT0233	DW13L x 30	(x) Fixed wheel	8	M18	152,4	-	70,5	-
OT0234	DW13L x30	Adjustable	8	M18	110,5	-	69,6	-
OT0235	DW13L x30	Adjustable	8	M18	140	-	69,1	-
OT0236	W13 x 30	Adjustable	8	M18	150,1	-	64,9	-
OT0237	W13 x 30	Adjustable	8	M18	150,1	-	64,4	-
OT0238	W13 x 30	Adjustable	8	M18	109,5	-	61,6	-
OT0239	W14L x 30	Adjustable	8	M18	150,1	-	73,9	-
OT0240	W14L x 30	Adjustable	8	M18	150,1	-	73,4	-
OT0241	30xDW15L	Adjustable	20	M16	280	30	87,0	7.215
OT0242	W13 x 30	(x) Fixed wheel	8	M16	150,1	-	58,4	-
OT0243	W13 x 30	Adjustable	8	M16	150,1	-	61,5	-
OT0244	W14L x 30	Adjustable	8	M16	150,1	-	67,4	-
OT0245	W14L x 30	Adjustable	8	M16	150,1	-	70,4	-
OT0246	30xDW16L	Adjustable	16	M14	271	-5	92,4	5.150
OT0247	30xW15L	(x) Fixed wheel	8	A3 = B22ES36	221	29	81,2	6.300
OT0248	30xDW15L	(x) Fixed wheel	8	A2 = B18ES32	221	0	93,0	7.900
OT0249	30xDW16L	(x) Fixed wheel	8	A2 = B18ES32	221	0	94,0	5.150
OT0250	30xW15L	(x) Fixed wheel	8	A2 = B18ES32	221	0	81,6	6.300
OT0251	34 x DW16L	(x) Fixed wheel	8	M22	221	-48	95,0	5.300
OT0252	34 x DW18L	(x) Fixed wheel	10	M18	220,5	-	135,5	6.000
OT0253	34 x DW15L	(x) Fixed wheel	8	M18	152,4	-	92,2	-
OT0254	34 x DW16L	Adjustable	8	B3 = B22DS36	221	-80	87,0	3.000
OT0255	34 x DW16L	(x) Fixed wheel	8	B3 = B22DS36	221	-30	87,0	3.000
OT0256	34 x DW16L	(x) Fixed wheel	8	A3 = B22ES36	221	80	95,0	4.750
OT0257	34 x DW16L	(x) Fixed wheel	10	A3 = B22ES36	281	15	88,5	5.150
OT0258	34 x DW16L	(x) Fixed wheel	8	A3 = B22ES36	221	0	95,0	4.750
OT0259	34 x DW16L	(x) Fixed wheel	10	A3 = B22ES36	281	0	88,5	5.150
OT0260	34 x DW16L	(x) Fixed wheel	8	A2 = B18ES32	221	0	95,0	4.750
OT0261	34 x DW15L	(x) Fixed wheel	8	M20	177	-	85,2	-
OT0262	34 x DW15L	Adjustable	8	M18	150,1	-	93,5	-
OT0263	34 x DW15L	Adjustable	8	M18	140	-	90,7	-

OT0264	34 x DW15L	Adjustable	8	M18	152,3	-	93,0	-
OT0265	34 x DW23B	Adjustable	12	M22	366	-19	142,0	6.500
OT0266	34 x DW23B	(x) Fixed wheel	8	M22	221	-30	152,0	6.500
OT0267	34 x DW23B	(x) Fixed wheel	16	M18	361	-23	147,6	6.500
OT0268	W11 x 36	(x) Fixed wheel	8	M18	152,4	-	97,0	-
OT0269	W11 x 36	Adjustable	8	M18	150,1	-	83,1	-
OT0270	W11 x 36	Adjustable	8	M18	150,1	-	83,3	-
OT0271	W11 x 36	Adjustable	8	M18	140	-	85,1	-
OT0272	W11 x 36	Adjustable	8	M18	152,3	-	83,3	-
OT0273	W11 x 36	Adjustable	8	M18	152,4	-	96,4	-
OT0274	38xDW20B	Adjustable	10	M20	281	-40	164,0	5.000
OT0275	38xDW18L	(x) Fixed wheel	10	M20	281	66,6	153,3	6.000
OT0276	38xDW18L	(x) Fixed wheel	12	M20	351	-120,5	153,3	6.000
OT0277	38xDW18L	(x) Fixed wheel	12	M20	351	-120,5	153,3	6.000
OT0278	38xDW18L	(x) Fixed wheel	12	M20	300,7	-79,6	152,6	6.000
OT0279	38xDW18L	(x) Fixed wheel	10	M20	281	-40	154,0	6.000
OT0280	38xDW18L	(x) Fixed wheel	10	M18	281	38,1	153,3	6.000
OT0281	DW12 x 38	(x) Fixed wheel	8	M18	152,4	-	96,6	-
OT0282	38 x DW16L	Adjustable	8	B3 = B22DS36	221	-80	111,0	3.000
OT0283	38 x DW16L	(x) Fixed wheel	8	B3 = B22DS36	221	-30	111,0	3.000
OT0284	38xDW18L	(x) Fixed wheel	8	B3 = B22DS36	221	-70	155,0	6.000
OT0285	38 x DW15L	(x) Fixed wheel	8	M18	150,1	-	110,3	-
OT0286	38 x DW15L	Adjustable	8	M18	150,1	-	110,7	-
OT0287	38 x DW15L	Adjustable	8	M18	152,4	-	104,3	-
OT0288	DW12 x 38	Adjustable	8	M18	150,1	-	90,7	-
OT0289	DW12 x 38	Adjustable	8	M18	140	-	103,2	-
OT0290	38xDW23B	Adjustable	10	M20	281	-130	176,0	6.000
OT0291	38xDW25B	(x) Fixed wheel	12	M22	366	-31	176,0	6.500
OT0292	38xDW25B	(x) Fixed wheel	12	M20	366	-11	176,0	7.500
OT0293	38xDW25B	(x) Fixed wheel	16	M20	361	-15	183,0	6.500

OT0294	38xDW27B	(x) Fixed wheel	12	M22	366	-63	183,0	6.500
OT0295	38xDW23B	(x) Fixed wheel	12	M20	351	-185	172,5	6.000
OT0296	38xDW23B	(x) Fixed wheel	12	M20	351	-185	172,5	6.000
OT0297	38xDW23B	(x) Fixed wheel	10	M20	281	-40	174,5	6.000
OT0298	38xDW27B	(x) Fixed wheel	10	M20	281	-100	194,0	6.500
OT0299	38xDW27B	(x) Fixed wheel	10	M20	281	-100	194,0	6.500
OT0300	38xDW23B	(x) Fixed wheel	10	M18	281	0	179,5	6.000
OT0301	38xDW23B	(x) Fixed wheel	10	M18	281,5	13,6	179,5	6.000
OT0302	38xDW25B	(x) Fixed wheel	16	M18	361	-60	183,5	6.500
OT0303	38xDW27B	(x) Fixed wheel	16	M18	361	-60	189,8	6.500
OT0304	42xDW18L	(x) Fixed wheel	10	M18	281,2	38,1	184,0	8.618
OT0305	42xDW23B	(x) Fixed wheel	12	M22	366	-3	199,0	6.500
OT0306	42xDW23B	(x) Fixed wheel	12	M20	366	17	204,0	7.500
OT0307	42xDW23B	(x) Fixed wheel	16	M22	361	-44	204,0	6.500
OT0308	42xDW28B	(x) Fixed wheel	12	M22	366	-67	222,0	7.500
OT0309	42xDW28B	(x) Fixed wheel	16	M22	361	-67	225,0	7.500
OT0310	42xDW23B	(x) Fixed wheel	16	M20	361	-4	204,7	6.500
OT0311	42xDW23B	(x) Fixed wheel	10	M18	281,5	13,6	209,0	6.500
OT0312	42xDW23B	(x) Fixed wheel	10	M18	281,5	13,6	209,0	6.500